

CTF PV WM4

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com



After stripping the insulation, a suitable contact or wire end ferrule can be crimped onto the end of the cable. Crimping forms a secure connection between conductor and contact and has largely replaced soldering. Crimping denotes the creation of a homogeneous, permanent connection between conductor and connecting element. The connection can be made only with high-quality precision tools. The result is a secure and reliable connection both in mechanical and electrical terms. Weidmüller offers a wide range of mechanical crimping tools. Integral ratchets with release mechanisms guarantee optimum crimping. Crimped connections made with Weidmüller tools comply with international standards and regulations.

General ordering data

Version	Photovoltaics, Crimping tool for photovoltaic
	contacts
Order No.	<u>1222870000</u>
Туре	CTF PV WM4
GTIN (EAN)	4050118006254
Qty.	1 pc(s).
Replacement parts	<u>1121010000</u>



CTF PV WM4

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

-			
Dım	ensions	and	weights

Width	250 mm	Width (inches)	9.842 inch
Net weight	745 g		

Technical data

Description of article	Crimping tool for
•	Weidmüller WM4
	photovoltaic contacts,
	Multi-Contact MC4,
	Hirschmann SunCon and
	compatible plugs

Description of contact

Crimping range, max.	6 mm²	Crimping range, min.	2.5 mm ²
Type of contact	F-plug / -sleeve		

tool data crimping

Crimping profile 1, max.	6 mm ²	Crimping profile 1, min.	4 mm ²	
Crimping profile 2, max.	4 mm²	Crimping profile 2, min.	4 mm ²	
Crimping profile 3, max.	2.5 mm ²	Crimping profile 3, min.	2.5 mm ²	

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
ETIM 8.0	EC000168	ECLASS 9.0	21-04-38-11
ECLASS 9.1	21-04-38-11	ECLASS 10.0	21-04-38-11
ECLASS 11.0	21-04-38-11	ECLASS 12.0	21-04-38-11

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
SCIP	2159813b-98fd-4068-b62a-bc89a046c012

Important note

Product information	Crimping tools for photovoltaic contacts
	 Ratchet for precise crimping
	 Release option in the event of incorrect operation
	 With locator for exact positioning of the contacts
	 For Weidmüller WM4 photovoltaic connectors and similar plugs
	 For Multi-Contact MC4 1.5 mm² to 6 mm² and similar plugs
	 For Hirschmann SunCon 4 mm² and similar plugs

Downloads

User Documentation	<u>Manual</u>
Catalogues	Catalogues in PDF-format
Brochures	



CTF PV WM4

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Drawings





Type 4 socket

Type 4 pin

Example of use

